



**ULTRAMARINE &
PIGMENTS LTD.**

MANUFACTURERS OF INORGANIC PIGMENTS & SURFACTANTS



CERTIFICATE OF ANALYSIS

Report number and Date	UPL /S/D/2022-23/LAO/005/Date: 29.08.2022
Sample Description	ULTRAWET LAO
Manufactured Date	27.04.2022
Sampling date(receipt date)	27.04.2022
Analysis completed date	28.04.2022
Batch No.	LAO2022370401
Expiry date	26.04.2023
Customer Name and Address	M/sChandak Enterprises,Nagpur.
Quantity	0.100 MT

S.No.	Parameters	Units	Specification	Results
1	Appearance		Clear Colorless to pale yellow liquid	Clear Colorless to pale yellow liquid
2	pH of 10% Solution	-	6.0 to 8.0	7.80
3	Free Hydrogen Peroxide	ppm	Max.2000	1915
4	Assay as LAO @243 M. Wt.	%	30 ± 1.0	31.00
5	Color	APHA	Max-10	5

S/d
Analyzed by
(P.Sekthikumar)

S/d
Reviewed by
(P.Saravanan)

S/d
Authorized by
(K. Mohan)

- End of Report -



ISO 9001 / ISO 14001 / ISO 45001
CIN: L24224MH19005PLC011858